



ERA ZERO VACUUM CLEANERS

Innovative cleaning solutions for a clean environment.

SPRiNTUS

Our goal: 'Zero emissions' – avoiding, reducing and completely offsetting CO₂ emissions.

MADE IN
GERMANY

75%
RECYCLED
MATERIAL

ZERO

Products with financial
climate contribution
Detailed information on the product pages.



ERA EVO ZERO

Versatile all-rounder with triple HEPA13 filtration.

ERA TEC ZERO

Top performance at an incredibly quiet 49 dB in ECO mode.

ERA PRO ZERO

Sets new standards as the world's first digital dry vacuum cleaner.

ERA iGO ZERO

Maximum mobility thanks to 36 V Li-ion design.

With its ZERO product line, SPRiNTUS offers uncompromising sustainability, state-of-the-art technology and the highest quality standards. 'Zero emissions' is much more than just a promise: it is our commitment to consistently reduce CO₂ emissions and offset unavoidable emissions through compensation measures.

This is made possible by the use of up to 75% high-quality recycled plastic and consistent regional production. Our ZERO dry vacuum cleaners are manufactured at our company headquarters in southern Germany under the 'Made in Germany' seal of quality. Short delivery routes, cooperation with regional partners and resource-saving producti-

on play a decisive role here. The ZERO line combines environmental awareness, quality and efficiency in innovative, sustainable cleaning solutions.

For each ZERO product, we have determined the CO₂ emissions in accordance with the Greenhouse Gas Protocol using the 'cradle-to-customer plus end-of-life' approach. This approach takes into account

all emissions from the extraction of raw materials and production to the disposal of the product and packaging. This enables us to offset unavoidable emissions by supporting internationally recognised climate protection projects. We work with ClimatePartner for this purpose. We take care of offsetting the corresponding emissions for you.

ERA EVO ZERO

Versatile all-rounder with triple HEPA13 filtration.



The quiet ERA EVO ZERO is versatile, compact, reliable and a true powerhouse. The integrated cable rewind makes the safe and practical storage of the signal-red 10m power cord possible. If required, you can change the cable in just a few simple steps and without using any tools. High-quality filter media, such as the standard fleece filter basket, the HEPA 13 filter bag, and the HEPA 13 filter cartridge guarantee clean blow-out air at all times and are particularly suitable for those who suffer from allergies or for the cleaning of sensitive areas, such as hospitals, nursing homes and kindergartens. The extra-large, tear-resistant 9-litre fleece filter bag guarantees a high volume of dirt absorption and long working intervals, without frequent and annoying filter bag changes. The power regulation that can be adjusted on the device allows for the ERA EVO ZERO to be adapted to any floor covering. And what's best: already for small order quantities, we equip the ERA EVO ZERO with your logo and strengthen your company image and brand.

Our goal: 'Zero emissions' – avoiding, reducing and completely offsetting CO₂ emissions.



Features:



Your brand. Your company image. We imprint your logo.



Stepless mechanical power regulation & low sound pressure level of 55 dB(A).



Four storage slots for accessories & parking position for the floor nozzle.



Integrated cable rewind with open design.




Tool-free cable changing.



Working range of 25 m.

	Item-no.	UK	EU
ERA EVO ZERO	Z117004	Z117001	
Standard accessories:			
2x Suction tube 0,5 m, aluminum		106026	
Suction hose complete, 2 m			
Combi nozzle 280 mm		114114	
2in1 Upholstery nozzle 130 mm		117294	
Crevice nozzle 220 mm		101023	
HEPA 13 Fleece filter bag (1 pcs)			
HEPA 13 Fleece filter basket		117101	
HEPA 13 filter cartridge, black		111181	
Power cord 10 m, pluggable, signal red	111177	111310	
Fleece filter bags:			
Fleece filter bag (10 pcs)		106013	
Fleece filter bag (250 pcs)		106014	
HEPA 13 Fleece filter bag (10 pcs)		106061	
Optional accessories:			
Suction hose, 2 m, antistatic		120124	
Suction hose complete, 2,5 m		114113	
Telescopic suction tube 0,6 - 1,0 m, stainless steel		117228	
HEPA 14 filter cartridge, black		111199	





ERA TEC ZERO

Top performance at an incredibly quiet 49 dB in ECO mode.



49-54 LpA [dB]



5,5 kg



12 m



Product with financial
climate contribution
ClimatePartner.com/17872-2210-1003

Our goal: 'Zero emissions' – avoiding, reducing and completely offsetting CO₂ emissions.



The ERA TEC ZERO is consistently continuing the innovative ERA series, thereby guaranteeing top performance at an incredibly quiet 49 dB in ECO mode. The ERA TEC ZERO can therefore be used around the clock, at any time of the day, even in busy and sensitive areas, such as hotels or in office rooms. Should it be necessary, the spare filter bag compartment saves unnecessary legwork and loss of valuable working time should no replacement filter bags be close at hand.

The standard USB port and the optional storage box allow you to charge your mobile phone directly on the vacuum cleaner without setting aside your mobile anywhere on the property or losing sight of it. Alternatively, the storage box is also suitable as a practical beverage holder, for cleaning agents, or for carrying microfiber cloths. The fill level indicator in red indicates that the filter bag needs to be changed or clogging.

Features: Additional equipment for ERA EVO ZERO



The blue operation LED turns red when a blockage occurs.



USB charging function.
Storage box and USB charging cable sold separately.



Infinitely adjustable ECO mode.
100 % LpA: 54 dB(A)
50 % LpA: 49 dB(A)




Rubberised castors, Ø 120 mm and swivel castors, Ø 60 mm.



Clever filter compartment for spare filter bags.

	Item-no.	UK	EU
ERA TEC ZERO		Z 117023	Z 117020
Standard accessories:			
Telescopic suction tube 0,6 - 1,0 m, stainless steel		111133	
Suction hose complete, 2,5 m		114113	
Combi nozzle 280 mm		114114	
2in1 Upholstery nozzle 130 mm		117294	
Crevice nozzle 220 mm		101023	
HEPA 13 Fleece filter bag (2 pcs)		117101	
HEPA 13 Fleece filter basket		117101	
HEPA 13 filter cartridge, black		111181	
Power cord 12 m, pluggable, signal-red	111177	117133	
Fleece filter bags:			
Fleece filter bag (10 pcs)		106013	
Fleece filter bag (250 pcs)		106014	
HEPA 13 Fleece filter bag (10 pcs)		106061	
Optional accessories:			
Suction tube 0,5 m, aluminum		106026	
Suction hose, 2 m, antistatic		120124	
HEPA 14 filter cartridge, black		111199	



ERA PRO ZERO

The world's first digital dry vacuum cleaner.



49-54 dB(A)



5,7 kg



12 m



Individualisation via SPRiTUS APP in seconds.




Read out/synchronise device data via Bluetooth interface.



Output of faults and maintenance instructions.



Individual language selection.



Via the interactive touch display, run times, faults, maintenance activities, as well as the date and time can be read. The home screen is individually adjustable. For example, property and user data can be continuously input and displayed.



ClimatePartner.com/17872-2210-1004

Our goal: 'Zero emissions' – avoiding, reducing and completely offsetting CO₂ emissions.

With the first-time digitisation of commercial dry vacuum cleaners, the ERA PRO ZERO dry vacuum cleaner by SPRiTUS sets new benchmarks in professional cleaning.

The interactive touch display can be customised with your logo using the SPRiTUS APP. In this way, new customers can be acquired, and the corporate design can be adapted and underscored. A language selection (DE, ENG, FR, IT) can be made. In the event of a fault, solution suggestions are shown

on the display. In combination with the integrated Bluetooth interface, important device data such as operating hours, daily run time or location.

Data can be transferred into the cloud-based fleet management and connected to commonly used ERP systems. Run times can be checked with the touch of a button, and property calculations can be adapted. In the display, additional data can be stored and called up, e.g. property, user and customer data. The user can call up spare parts drawings, user manuals, data sheets and other device data at any time.

Features: Additional features compared to ERA TEC ZERO



Interactive touch display with current date and time.



Socket for optional electric vacuum brush.



3in1 Charging cable.
Item-No. 117123



Storage box.
Item-No. 117116

Item-no.	UK	EU
----------	----	----

ERA PRO ZERO Z117045 Z117040

Standard accessories:

Telescopic suction tube 0,6 - 1,0 m, stainless steel 111133

Suction hose complete, 2,5 m 114113

Combi nozzle 280 mm 114114

2in1 Upholstery nozzle 130 mm 117294

Crevice nozzle 220 mm 101023

HEPA 13 Fleece filter bag (2 pcs) 117101

HEPA 13 Fleece filter basket 111181

HEPA 13 filter cartridge, black 111177 117133

ERA PRO ZERO Komfort set Z117043 Z117041

incl. 280 mm electric suction brush 111135

incl. Stainless steel telescopic tube & suction hose, antistatic

Fleece filter bags:

Fleece filter bag (10 pcs) 106013

Fleece filter bag (250 pcs) 106014

HEPA 13 Fleece filter bag (10 pcs) 106061

Optional accessories:

Suction tube 0,5 m, aluminum 106026

Suction hose, 2 m, antistatic 120124

280 mm electric suction brush 111135

incl. Stainless steel telescopic tube & suction hose, antistatic

HEPA 14 filter cartridge, black 111199



Our free ERA PRO app is available from the App Store and Play Store. For download, please scan the respective QR code.

ERA PRO ZERO

Fleet management
Web portal



SPRiNTUS browser-based fleet management system allows you to centrally manage all ERA PRO ZERO dry vacuum cleaners and keep an eye on everything at all times. In the general overview, all basic information concerning your ERA PRO is shown in a compact manner. You can call up data relevant for each ERA PRO ZERO, such as location, property names, users, daily run times, maintenance dates, such as the DGUV V3 for example, or faults at any time. With the synchronisation via the SPRiNTUS APP, all data is displayed in real time in the web portal.

Reports

In the detail view, you have access to all relevant reports concerning your ERA PRO. This helps you to make the right decisions and keep your fleet in optimal operational condition. Other cleaning equipment located on the property can be created and be centrally managed via the web portal.

Your advantages at a glance:

- Overview of the status and run times of all devices
- Faults and maintenances are displayed individually
- Visualisation of the devices by map on a property basis
- Extensive software functions and reports
- Professional, customisable interface for all common ERP systems

Overview of all devices, including location, status messages and user information.

Detailed overview of cleaning equipment.

Detailed view of a device:
Usage times, run times,
location.

Your own logo and texts can be changed directly on the device.

Cleaning equipment, teams, customers, and locations can be displayed on the map.

Detailed map view.

ERA PRO ZERO

Comfort SET



The new generation of brush vacuum cleaners:

Unbeatable comfort! The ERA PRO ZERO in combination with the electric suction brush achieves excellent results on carpets and carpeted floors. Thanks to its permanent-magnet electric drive and high-level vacuum, it cleans deeply and gently. The carpet is literally combed out by the rotating brush and dirt is transported towards the suction nozzle and sucked in. Even heavy dirt in the carpet, such as hair or threads, is absorbed. With the remote control on the Ergo handle, you can conveniently switch the brush on and off at the touch of a button. Thanks to the stainless-steel telescopic tube, the working height can be conveniently adjusted to any user and makes it possible to work efficiently and free of fatigue.

The image shows an ERA PRO ZERO set including an electric vacuum brush.





ERA iGO ZERO

Cordless, 58 [dB] silent dry vacuum cleaner as 36 V Li-Ion version

HEPA X3

MADE IN GERMANY

75% RECYCLED MATERIAL

ZERO

Product with financial climate contribution
ClimatePartner.com/17872-2309-1001



The **ERA iGO ZERO** cordless dry vacuum cleaner guarantees maximum flexibility and mobility. The powerful 36 V Li-Ion system combines autonomous, cable-free operation with the unique features of the ERA ZERO model series, setting new standards in professional cleaning. Equipped with two 18 V batteries and a 300 W EC motor, the ERA iGO ZERO delivers excellent cleaning performance. The 7.5 Ah batteries connected in series allow for up to 90 minutes of uninterrupted operation, making it ideal for extended cleaning tasks. The power output is continuously adjustable between 150 and 300 watts directly on the device, allowing the suction performance to be easily adapted to any type of flooring. A clear display on the motor head keeps you informed at all times about the current power level and battery status, ensuring optimal control during use. The ERA iGO ZERO also impresses with its extremely low sound pressure level of just 62 dB, or 58 dB in

ECO mode, making it perfectly suited for noise-sensitive and high-traffic environments such as hotels, offices, hospitals, and kindergartens.

High-quality HEPA 13 filter media ensure clean exhaust air at all times, making the vacuum cleaner ideal for allergy sufferers and for use in sensitive areas. The extra-large, tear-resistant 9-litre fleece filter bag offers a high dirt absorption capacity and enables long working intervals without frequent and inconvenient bag changes.

Additionally, the ERA iGO ZERO enhances your brand visibility and corporate image thanks to a customizable logo badge on the device.

This premium vacuum cleaner is proudly MADE IN GERMANY, manufactured at the SPRiNTUS headquarters in southern Germany.



58-62 dB(A)




5,9 kg



up to 90 Min





System HEPA X3:

HEPA 13 filter cartridge:	Item-No. 111181
Optional: HEPA 14 filter cartridge:	Item-No. 111199
HEPA 13 fleece filter basket:	Item-No. 114118
HEPA 13 fleece filter bag:	Item-No. 106061

ERA iGO ZERO ERA iGO ZERO 5 Ah ERA iGO ZERO 7,5 Ah

	Item-No. EU	Z120001	Z120002	Z120003
	Item-No. UK	Z120004	Z120005	

Standard accessories:

Telescopic suction tube 0,6 - 1,0 m, stainless steel	117228	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Suction hose, 2 m, antistatic	120124	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Combi nozzle 280 mm	114114	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2in1 Upholstery nozzle 130 mm	117294	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Crevice nozzle 220 mm	101023	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HEPA 13 Fleece filter bag		2 pcs	2 pcs	2 pcs
HEPA 13 Fleece filter basket	117101	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HEPA 13 filter cartridge, black	111181	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double charger	122240	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double charger, UK	122251	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Li-ion battery pack 18V, 5 Ah	122238	<input type="checkbox"/>	2 pcs	<input type="checkbox"/>
Li-ion battery pack 18V, 7,5 Ah	122239	<input type="checkbox"/>	<input type="checkbox"/>	2 pcs

Fleece filter bags:

Fleece filter bag (10 pcs)	106013	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fleece filter bag (250 pcs)	106014	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HEPA 13 Fleece filter bag (10 pcs)	106061	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Optional accessories:

Li-ion battery pack 18V, 9 Ah	122276	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Suction tube 0,5 m, aluminum	106026	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Suction hose complete, 2,5 m	114113	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

standard accessories

Optional accessories

MODEL COMPARISON

ERA ZERO series

	ERA EVO ZERO	ERA TEC ZERO	ERA PRO ZERO	ERA iGO ZERO
Technical Data:				
Voltage	220-240 V / 50 Hz			36 V
Max. Power	700 W			300 - 150 W
Max. negative pressure	210 mbar*			160 - 100 mbar*
Volume flow	38 Litres / sec.			33 Litres / sec.
Sound pressure level	55 dB(A)	49-54 dB(A)		58-62 dB(A)
Container material	Plastic			
Container volume	13 Litres (gross)			
Filter bag volume	9 Litres			
Length of power cord	10 m	12 m		-
Li-ion battery as standard	-			2 x 18 V, 5 Ah
Li-ion battery optional	-			2 x 18 V, 7,5 Ah
Length of suction hose	2 m	2,5 m		
Diameter of suction hose	32 mm			
Diameter of suction tube	32 mm			
Weight	5,1 kg	5,5 kg	5,7 kg	4,7 kg*
Dimensions (L x W x H)	38 x 28 x 43 cm			
Equipment:				
Suction tube 0,5 m, aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telescopic suction tube 0,6 - 1,0 m, stainless steel	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Suction hose complete, 2 m	<input checked="" type="checkbox"/>			
Suction hose complete, 2,5 m	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suction hose, 2 m, antistatic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Combi nozzle 280 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Crevice nozzle 220 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2in1 Upholstery nozzle 130 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Cable winder	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HEPA 13 filter basket	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HEPA 13 filter cartridge	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
HEPA 14 filter cartridge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HEPA 13 filter bag	1 pcs	2 pcs	2 pcs	2 pcs
Filter bag reserve compartment	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rubberised wheels / castors		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
USB charging function		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Storage box	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Charging cable for mobile phone			<input type="checkbox"/>	<input type="checkbox"/>
Bluetooth integration				<input checked="" type="checkbox"/>
Touchdisplay				<input checked="" type="checkbox"/>
Mechanical power regulation	<input checked="" type="checkbox"/>			
ECO mode power regulation		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Operating indicator (blue LED)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Blockage indicator (red LED)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

standard accessories

Optional accessories

*Measured at the nozzle **without Li-ion battery

