


Reizenwiesen 1 · 73642 Welzheim/Germany · Tel.: +49 7182 / 80 404-0 Fax: +49 7182 / 80 404-99 · kontakt@sprintus.eu · www.sprintus.eu







What kind of safety vacuum cleaner is suitable for your application? The dust classes provide the answer to this question. Materials and their dusts are classified according to them and machines are certified, because the vacuum cleaners meet the corresponding require-

Suitable for	Disposal
Dusts with OEL** values > 1mg/m ³ Domestic dust, soil, lime	-
Dusts with OEL** values ≥ 0,1mg/m ³ Wood, screed, primer coat and paint, plaster, cement, concrete, tile adhesive, paints such as latex and oil paints, quartz containing materials such as sand and pebbles	Low dust
Dusts with OEL** values < 0,1mg/m ³ Carcinogenic dust, dust with pathogens, dust with bacteria	Dust free
Dusts with OEL** values < 0,1mg/m ³ Asbestos dust	Dust free

The table provides information about the maximum transmittance of a certified vacuum cleaner as well as the legal occupational exposure limit value of the dusts. Class-L dusts are classified as only slightly hazardous, those belonging to Class M are deemed hazardous and those belonging to Class H are regarded as extremely hazardous. No special regulations must be observed when disposing L-dusts. M-dusts, on the other hand, must be disposed of in a low dust manner and H-dusts as well as asbestos dusts must be disposed of in a dust free manner. Depending on the dust class, the use of fleece filter bags (item no. 102031) or special PE disposal bags (item no. 118138) and PE disposal bags asbestos (item no. 118169) for dust free disposal is recommended.

The SPRiNTUS safety vacuum cleaners at a glance.

For an efficient control of dusts in dust class L, M and H inclusive asbestos dusts, we offer you the CraftiX model series with a total of six safety vacuum cleaners. In all dust classes, you have the choice between a model with a container volume of 35 and 50 litres.

With the CraftiX models you ensure maximum health protection of the user. The efficient filter cleaning ensures a permanently free filter with a perpetually high level of suction power. This saves you time and money because filter cleaning takes place automatically without suction current and power interruption, even in the case of extreme amounts of fine dust.



• For dusts of dust class L (page 3)

• Antistatic preparation for connecting an optional antistatic hose (item no. 118143) to prevent electrostatic charges

Patented HEPA 13 cartridge filter




- For dusts of dust class L, M and H as well as asbestos dusts (page 3)
- Standard anti-static equipment for extracting large amounts of fine dust
- Patented HEPA 14 cartridge filter
- The suction power is monitored by a warning device with a acoustic and visual signal




- For dusts of dust class L and M (page 3)
 Standard anti-static equipment for extracting large amounts of fine dust
 Patented HEPA 13 cartridge filter
- The suction power is monitored by a warning device with a acoustic and visual signal



Patented filter cleaning.



Dealing with hazardous dusts requires innovative product developments. The heart of the CraftiX is the patented HEPA 13 (dust class L, M) or HEPA 14 (dust class H) cartridge filter.



It consists of two independent filter chambers, which are cleaned one after the other. Suction current and suction power thus remain at a consistently high level even during cleaning, which guarantees permanent suction.



Filter cleaning is carried out by air backwashing and, thanks to the patented cartridge filter, ensures that the fine pores of the filter are freed from dust without leaving any residue. The maintenance and cleaning of the filter is no longer necessary and you save time and money.



Filter cleaning takes place automatically every 45 seconds. It is quieter than average and is therefore particularly userfriendly.



CraftiX advantages at a glance.

Whether you opt for an SPRINTUS safety vacuum cleaner for dust class L, M or H, all six models have these innovative features.



CraftiX controls.

The suction power of the four CraftiX models of dust classes M and H is monitored by a warning device. After setting the smallest diameter used in the suction harness, the user is warned by an acoustic and visual signal if the required air flow is not reached. This avoids increased dust pollution of breathable air.

The power tool can be plugged directly into the vacuum cleaner thanks to the integrated socket. Due to the auto-matic switch on and off, the vacuum cleaner is started automatically or stopped with a lag of 5 seconds.







CRAFTIX 35 M/H + 50 M/H

- Selector switch hose diameter.
- High safety due to warning LED and acoustic warning signal.

CRAFTIX 35 M/L/H + 50 M/L/H • On/off button automatic filter cleaning.

- Standard operation with infinitely adjustable power regulation.
- Automatic operation with connected power tool and infinitely variable power regulation.
- **G** Socket for power tools up to a maximum of 2.200 watts.

Customisation by way of printed logo.




CraftiX model comparison

Technical specifications	35 L	35 M	35 H	50 L	50 M	50 H
Voltage	220-240 V / 50-60 Hz					
Power	1200 W					
Sound pressure level	LpA 74 dB(A)					
Max. suction	250 hPa / mbar					
Volume flow rate	74 litres / sec.					
Container material	plastic					
Container volume	35 litres (gross) 50 litres (gross)			oss)		
Length power cord	10 m					
Suction hose Ø 35 mm	5 m					
Suction hose Ø 38 mm	-	2,5 m	2,5 m	-	2,5 m	2,5 m
Suction tube Ø 38 mm	1	1	1	1	1	1
Product weight	16 kg 19,5 kg					
Dimensions (L x W x H)	54 x 39 x 63,5 cm 54 x 39 x 77 cm			cm		

Equipment	35 L	35 M	35 H	50 L	50 M	50 H
Vacuum tubes, stainless steel, 2 x 0,5 m						
Dry floor nozzle 450 mm						
Crevice nozzle						
Round nozzle Ø 75 mm						
HEPA 13 cartridge filter			-			-
HEPA 14 cartridge filter	0	0		0	0	
Power tool adapter Ø 35 mm						
Power tool adapter Ø 21, 25, 32 mm	•	•	•	•	•	•
Power tool adapter Ø 38 mm	0	0	0	0	0	0
Fleece filter bag						
Disposal bag	0			0		
Selector switch hose Ø	-			-		
Acoustic warning signal	-			-		
Warning LED	-			-		
Suction hose 5 m, anti-static, oil-resistant	0	•	•	0	•	•
Suction hose 5 m		-	-		-	-
Suction hose 3 m, anti-static, oil-resistant	0	•	•	0	•	•

standard equipment O accessories



	ltem-no.	UK	EU
CRAFTIX 35 L CRAFTIX 50 L Vacuum tubes, stainless steel 2 x suction hose 5 m with Ø 35 mm, dry floor nozzle 450 mm, HEPA 1 fleece filter bag, rubber mains ca power tool adapter Ø 21 / 25 / 32	crevice noz 3 cartridge ble: H07RN	zle, round no filter,	
	ltem-no.	UK	EU
CRAFTIX 35 M CRAFTIX 50 M		118032 118047	118030 118045
CRAFTIX 35 H CRAFTIX 50 H Vacuum tubes, stainless steel 2 x anti-static and oil-resistant suction static and oil-resistant suction ho crevice nozzle, round nozzle, dry fleece filter bag, power tool adap disposal bag, rubber mains cable	n hose 5 m se 2,5 m wi floor nozzle tter Ø 21 / 2	with Ø 35 m th Ø 38 mm, 450 mm, 5 / 32 / 35 m	m
HEPA 13 cartridge filter (35 / 50 N HEPA 14 cartridge filter (35 / 50 N STANDARD KIT:	+) 		
Vacuum tubes, stainless steel (1 Suction hose, antistatic and oil re Suction hose, antistatic and oil re Dry floor nozzle 450 mm Crevice nozzle Round nozzle	sistant, 5 m		
HEPA 13 cartridge filter (35/50 N HEPA 14 cartridge filter (35/50 N Rubber mains cable: H07RNF, 10 Tool key for filter change Power tool adapter Ø 21/25/32 Power tool adapter Ø 35 mm Power tool adapter Ø 38 mm	H)) m, black	118152	118100 118166 118110 118124 118122 118139 118141
ACCESSORIES: Adapter plate for tool cases Fleece filter bags 35 litres (5 piec			118150 102031
Fleece filter bags 50 litres (5 piec Disposal bags (5 pieces) Disposal bags asbestos (5 pieces) Wet floor nozzle 450 mm Rubber strip set 450 mm Handle, antistatic set of brush strips 450mm for 10)		102072 118138 118169 102124 102126 118115 102127
Accessories overview, see page		108-109.	
Fleece filter bags (5 pcs). Item-no. 102031	Dispos. Item-ne	al bags (5 p o. 118138	ocs).
Fleece filter bags	Dis	sposal bags	

50 litres, (5 pcs) Item-no. 102072 asbestos (5 pcs). Item-no. 118169

•0

Limitless customisation.

10 |



Adapter plate for tool cases.

With only a single adapter plate from SPRiNTUS you can attach tool cases of all common manufacturers to the CraftiX (Systainer, metaBOX, Tstak Box, L-Boxx, MAKPAC). The optional adapter plate can be mounted and locked on the suction head without tools and ensures safe transport of the tool boxes.



Your advantages at at a glance.

- Consistently high suction power even during automatic filter cleaning • Patented cartridge filter with two independent filter chambers • Very quiet automatic cleaning of both filter chambers every 45 seconds • Large range of accessories and accessory storage directly on the device • Just a single adapter plate for attaching all common tool cases to the CraftiX
- Unlimited customization with your personal logo sign





