

SPRINTUS



Your partner when it comes to professional cleaning.



Reizenwiesen 1 · 73642 Welzheim / Germany · Tel.: +49 7182 / 80 404-0
Fax: +49 7182 / 80 404-99 · kontakt@sprintus.eu · www.sprintus.eu

SPRINTUS



CRAFTIX
Safety vacuum cleaners

CraftiX

Maximum health protection in the case of hazardous dusts.

The new certified safety vacuum cleaners by SPRINTUS for dust classes L, M and H vacuum where hazardous dust is produced. Directly on the power tool. And all this with automatic filter cleaning with a consistently high level of suction power.



Good reasons for efficient dust control.

Where power tools are used, dust is often produced. Not any type of dust, but harmful fine particles. The dust should be absorbed where it is formed, directly on the power tool.

This is exactly what the robust SPRINTUS safety vacuum cleaners are designed for. Whether on the construction site or in the workshop, they collect dusts that are hazardous to health at a constantly high level of suction power before it pollutes breathable air. In particular, fine dusts remain in the air we breathe in for a long time and can penetrate deep into the lung tissue. This can lead to asthma and other chronic lung diseases. For this reason, legislators also prescribe the use of certified safety vacuum cleaners at construction sites. With the CraftiX safety vacuum cleaners, you protect the user from these risks. In this way, sawing, drilling, cutting, milling and grinding work can be carried out efficiently and safely without hesitation.



Your application is crucial.

What kind of safety vacuum cleaner is suitable for your application? The dust classes provide the answer to this question. Materials and their dusts are classified according to them and machines are certified, because the vacuum cleaners meet the corresponding requirements for dust control.

Dust class*	Maximum transmittance	Suitable for	Disposal
L 	≤ 1,0%	Dusts with OEL** values > 1mg/m ³ Domestic dust, soil, lime	-
M 	< 0,1%	Dusts with OEL** values ≥ 0,1mg/m ³ Wood, screed, primer coat and paint, plaster, cement, concrete, tile adhesive, paints such as latex and oil paints, quartz containing materials such as sand and pebbles	Low dust
H 	< 0,005%	Dusts with OEL** values < 0,1mg/m ³ Carcinogenic dust, dust with pathogens, dust with bacteria	Dust free
 Asbestos requirement	< 0,005%	Dusts with OEL** values < 0,1mg/m ³ Asbestos dust	Dust free

*according to the standard: IEC/EN 60335-2-69 **occupational exposure limit value

The table provides information about the maximum transmittance of a certified vacuum cleaner as well as the legal occupational exposure limit value of the dusts. Class-L dusts are classified as only slightly hazardous, those belonging to Class M are deemed hazardous and those belonging to Class H are regarded as extremely hazardous. No special regulations must be observed when disposing L-dusts. M-dusts, on the other hand, must be disposed of in a low dust manner and H-dusts as well as asbestos dusts must be disposed of in a dust free manner. Depending on the dust class, the use of fleece filter bags (item no. 102031) or special PE disposal bags (item no. 118138) and PE disposal bags asbestos (item no. 118169) for dust free disposal is recommended.

The SPRiNTUS safety vacuum cleaners at a glance.

For an efficient control of dusts in dust class L, M and H inclusive asbestos dusts, we offer you the CraftiX model series with a total of six safety vacuum cleaners. In all dust classes, you have the choice between a model with a container volume of 35 and 50 litres.

With the CraftiX models you ensure maximum health protection of the user. The efficient filter cleaning ensures a permanently free filter with a perpetually high level of suction power. This saves you time and money because filter cleaning takes place automatically without suction current and power interruption, even in the case of extreme amounts of fine dust.



- For dusts of dust class L (page 3)
- Antistatic preparation for connecting an optional antistatic hose (item no. 118143) to prevent electrostatic charges
- Patented HEPA 13 cartridge filter




- For dusts of dust class L, M and H as well as asbestos dusts (page 3)
- Standard anti-static equipment for extracting large amounts of fine dust
- Patented HEPA 14 cartridge filter
- The suction power is monitored by a warning device with a acoustic and visual signal




- For dusts of dust class L and M (page 3)
- Standard anti-static equipment for extracting large amounts of fine dust
- Patented HEPA 13 cartridge filter
- The suction power is monitored by a warning device with a acoustic and visual signal



Patented filter cleaning.



Dealing with hazardous dusts requires innovative product developments. The heart of the CraftiX is the patented HEPA 13 (dust class L, M) or HEPA 14 (dust class H) cartridge filter.



It consists of two independent filter chambers, which are cleaned one after the other. Suction current and suction power thus remain at a consistently high level even during cleaning, which guarantees permanent suction.



Filter cleaning is carried out by air backwashing and, thanks to the patented cartridge filter, ensures that the fine pores of the filter are freed from dust without leaving any residue. The maintenance and cleaning of the filter is no longer necessary and you save time and money.



Filter cleaning takes place automatically every 45 seconds. It is quieter than average and is therefore particularly user-friendly.

CraftiX advantages at a glance.

Whether you opt for an SPRINTUS safety vacuum cleaner for dust class L, M or H, all six models have these innovative features.

Practical cable hooks for convenient transport.

Flat surface on the motor head with retractable carrying handle for mounting the optional adapter plate for tool cases. Item no. 118150

Easy-to-clean blow-out filter.

Adjustable, foldable push bar for easy transport.

Integrated tool key for filter change. Item no. 118124

Parking position for extra wide floor nozzle. Item no. 102125

Patented filter cartridge.
HEPA 13 (dust class L, M). Item no. 118100
HEPA 14 (dust class H including asbestos). Item no. 118166



All-round elastic buffer edges.

Locking brakes prevent the vacuum cleaner from rolling away.

Maxi chassis with extra-large construction-site-compatible wheels, Ø 180 mm, and swivel castors, Ø 100 mm.

Dust-tight lockable connection nozzle for dust-free transport.

Power tool adapter for connecting power tools with suction devices of different diameters.

Ø 21 / 25 / 32 mm
Item no. 118122

Ø 35 mm
Item no. 118139

Handle for ergonomic carrying.


63,5 cm (35 litres)
77,0 cm (50 litres)

54 cm 39 cm

Discover our professional **CRAFTIX** product video on



WATCH OUR FILM!



CraftiX controls.

The suction power of the four CraftiX models of dust classes M and H is monitored by a warning device. After setting the smallest diameter used in the suction harness, the user is warned by an acoustic and visual signal if the required air flow is not reached. This avoids increased dust pollution of breathable air.

The power tool can be plugged directly into the vacuum cleaner thanks to the integrated socket. Due to the automatic switch on and off, the vacuum cleaner is started automatically or stopped with a lag of 5 seconds.



CRAFTIX 35 M/H + 50 M/H

- 1 Selector switch hose diameter.
- 2 High safety due to warning LED and acoustic warning signal.

CRAFTIX 35 M/L/H + 50 M/L/H

- 3 On/off button automatic filter cleaning.
- 4 Standard operation with infinitely adjustable power regulation.
- 5 Automatic operation with connected power tool and infinitely variable power regulation.
- 6 Socket for power tools up to a maximum of 2.200 watts.
- 7 Customisation by way of printed logo.



CraftiX model comparison

Technical specifications	35 L	35 M	35 H	50 L	50 M	50 H
Voltage	220-240 V / 50-60 Hz					
Power	1200 W					
Sound pressure level	LpA 74 dB(A)					
Max. suction	250 hPa / mbar					
Volume flow rate	74 litres / sec.					
Container material	plastic					
Container volume	35 litres (gross)			50 litres (gross)		
Length power cord	10 m					
Suction hose Ø 35 mm	5 m					
Suction hose Ø 38 mm	-	2,5 m	2,5 m	-	2,5 m	2,5 m
Suction tube Ø 38 mm	✓	✓	✓	✓	✓	✓
Product weight	16 kg			19,5 kg		
Dimensions (L x W x H)	54 x 39 x 63,5 cm			54 x 39 x 77 cm		

Equipment	35 L	35 M	35 H	50 L	50 M	50 H
Vacuum tubes, stainless steel, 2 x 0,5 m	●	●	●	●	●	●
Dry floor nozzle 450 mm	●	●	●	●	●	●
Crevice nozzle	●	●	●	●	●	●
Round nozzle Ø 75 mm	●	●	●	●	●	●
HEPA 13 cartridge filter	●	●	-	●	●	-
HEPA 14 cartridge filter	○	○	●	○	○	●
Power tool adapter Ø 35 mm	●	●	●	●	●	●
Power tool adapter Ø 21, 25, 32 mm	●	●	●	●	●	●
Power tool adapter Ø 38 mm	○	○	○	○	○	○
Fleece filter bag	●	●	●	●	●	●
Disposal bag	○	●	●	○	●	●
Selector switch hose Ø	-	●	●	-	●	●
Acoustic warning signal	-	●	●	-	●	●
Warning LED	-	●	●	-	●	●
Suction hose 5 m, anti-static, oil-resistant	○	●	●	○	●	●
Suction hose 5 m	●	-	-	●	-	-
Suction hose 3 m, anti-static, oil-resistant	○	●	●	○	●	●

● standard equipment ○ accessories



Item-no. UK EU

CRAFTIX 35 L 118003 118001
CRAFTIX 50 L 118017 118015

Vacuum tubes, stainless steel 2 x 0,5 m with Ø 38 mm, suction hose 5 m with Ø 35 mm, crevice nozzle, round nozzle, dry floor nozzle 450 mm, HEPA 13 cartridge filter, fleece filter bag, rubber mains cable: H07RNF, 10 m, black, power tool adapter Ø 21 / 25 / 32 / 35 mm

Item-no. UK EU

CRAFTIX 35 M 118032 118030
CRAFTIX 50 M 118047 118045

CRAFTIX 35 H 118062 118060
CRAFTIX 50 H 118077 118075

Vacuum tubes, stainless steel 2 x 0,5 m with Ø 38 mm, anti-static and oil-resistant suction hose 5 m with Ø 35 mm, anti-static and oil-resistant suction hose 2,5 m with Ø 38 mm, crevice nozzle, round nozzle, dry floor nozzle 450 mm, fleece filter bag, power tool adapter Ø 21 / 25 / 32 / 35 mm disposal bag, rubber mains cable: H07RNF, 10 m, schwarz, HEPA 13 cartridge filter (35 / 50 M) HEPA 14 cartridge filter (35 / 50 H)

STANDARD KIT:

Vacuum tubes, stainless steel (1 piece)	102018
Suction hose, antistatic and oil resistant, 5 m (35 + 50 M)	118143
Suction hose, antistatic and oil resistant, 3 m (35 + 50 M)	118193
Dry floor nozzle 450 mm	102125
Crevice nozzle	102016
Round nozzle	102017
HEPA 13 cartridge filter (35 / 50 M)	118100
HEPA 14 cartridge filter (35 / 50 H)	118166
Rubber mains cable: H07RNF, 10 m, black	118152
Tool key for filter change	118124
Power tool adapter Ø 21 / 25 / 32 mm	118122
Power tool adapter Ø 35 mm	118139
Power tool adapter Ø 38 mm	118141

ACCESSORIES:

Adapter plate for tool cases	118150
Fleece filter bags 35 litres (5 pieces)	102031
Fleece filter bags 50 litres (5 pieces)	102072
Disposal bags (5 pieces)	118138
Disposal bags asbestos (5 pieces)	118169
Wet floor nozzle 450 mm	102124
Rubber strip set 450 mm	102126
Handle, antistatic	118115
set of brush strips 450mm for 102125	102127

Accessories overview, see page 78-79 and 108-109.

Fleece filter bags (5 pcs).
Item-no. 102031



Disposal bags (5 pcs).
Item-no. 118138



Fleece filter bags
50 litres, (5 pcs)
Item-no. 102072



Disposal bags
asbestos (5 pcs).
Item-no. 118169



Limitless customisation.



With your personal logo sign, your brand is visible everywhere. Not only do you increase your brand awareness, but you can also label devices with inventory numbers or assign them to individual users.



Adapter plate for tool cases.

With only a single adapter plate from SPRINTUS you can attach tool cases of all common manufacturers to the Craftix (Systainer, metaBOX, Tstak Box, L-Boxx, MAKPAC). The optional adapter plate can be mounted and locked on the suction head without tools and ensures safe transport of the tool boxes.

Optional Adapter plate.
Item no. 118150



L-Boxx*



metaBOX*



MAKPAC*



*Boxes not included



Your advantages at a glance.

- Consistently high suction power even during automatic filter cleaning
- Patented cartridge filter with two independent filter chambers
- Very quiet automatic cleaning of both filter chambers every 45 seconds
- Large range of accessories and accessory storage directly on the device
- Just a single adapter plate for attaching all common tool cases to the Craftix
- Unlimited customization with your personal logo sign

